

Crinkle effect on  
its surface



Crinkle effect on  
its surface



Tejidos Roca SL  
Pol. Ind. San Agustín S/N, POB 37  
CP 30430 Cehegín (Murcia) SPAIN  
[ventas@tejidosroca.com](mailto:ventas@tejidosroca.com)

T. +34 968741152  
F. +34 968742520

[tejidosroca.com](http://tejidosroca.com)

# Océano

**roca**

On its surface Crinkly effect



# Océano

It is a 100% polyester brushed fabric, width 160 cm and weight 170 GSM, with a very competitive price.

It is an imitation of suede with a very marked crinkle effect on its surface.

Among the uses, the lining for footwear stands out, due to its ability to evacuate moisture. It is widely used in sectors such as funeral homes, furniture, toys, orthopedics, costumes, advertising and acoustic insulation.

It allows various finishing processes such as fire retardant, waterproof, antibacterial, printing, etc.

Permanent stock. Available in more than 30 colors.

Es un tejido perchado en poliéster 100%, de 160 cm de ancho y 170 gr/m2, con un precio muy competitivo.

El tejido es una imitación a la Antelina, con un efecto de aguas muy marcado en su superficie.

Entre los usos se destaca el de forro para el calzado, por su capacidad para evacuar la humedad. Es muy utilizado en sectores como el funerario, el mobiliario, la juguetería, ortopedia, disfraces, publicidad y aislamiento acústico.

Admite diversos procesos de acabados como el ignífugo, hidrófugo, anti bacterias, estampado, estampación, etc.

Stock permanente. Disponible en más de 30 colores.



## Crinkle effect on its surface



The Roca logo is positioned in the bottom-left corner of the page. It consists of the word "roca" in a white, lowercase, sans-serif font. The background of the entire page is a solid blue color, decorated with several overlapping circles of varying shades of blue. A large circle in the center contains a close-up image of a blue fabric with a vertical pleated texture. Other circles are solid blue and partially overlap the central circle and the background.

roca





# Océano



## Composition

100% Polyester

## Width

160 cm

## Weight

170 GSM +/- 5

Warp knitted fabric

## Optional processes





## Physical Test



Abrasion resistance (Martindale dry) - BS EN ISO 12947-2:1999 - Without holes after 25600 c.

Abrasion resistance (Martindale wet) - BS EN ISO 12947-2:1999 - Without holes after 12800 c.

Bursting strength - BS EN ISO 13938-2:1999 - >500 KPA

Water absorbancy - AATCC 79:201 - 1 s

Color fastness to alkalyne perspiration - EN ISO 105-e04:2008 - Nylon (3) Cotton (3-4)

Color fastness to acid perspiration - EN ISO 105-e04:2008 - Nylon (4) Cotton (3-4)

## Test Físico



Resistencia a la abrasión (Martindale seco) - BS EN ISO 12947-2:1999 - Without holes after 25600 c.

Resistencia a la abrasión (Martindale húmedo) - BS EN ISO 12947-2:1999 - Without holes after 12800 c.

Resistencia al estallido - BS EN ISO 13938-2:1999 - >500 KPA

Absorbancia agua - AATCC 79:201 - 1 s

Solidez del color a la perspiración alcalina - EN ISO 105-e04:2008 - Nylon (3) Cotton (3-4)

Solidez del color a la perspiración ácida - EN ISO 105-e04:2008 - Nylon (4) Cotton (3-4)



# Océano



Blanco



Marfil



Hueso



Vainilla



Tierra



Piedra



Avellana



Canela



Cobre



Carmelita



Castaño



Calabaza



Naranja



Teja



Rosa



Fucsia



Cereza



Rojo



Burdeos



Lila



Morado



# Océano



Perla



Gris



Antracita



Celeste



Turquesa



Azulina



Ducados



Limón



Pistacho



Rana



Hierba



Botella



Kaki



Visón



Pardo



Marrón



Marino



Negro



